| Model identifier(s): Scar                                  | 1003 CS   |               |                              |   |   |                                    |                        |                 |      |
|--|---|---------------|------------------------------|---|---|------------------------------------|------------------------|-----------------|------|
| Indirect heating functionality                             |   |               |                              | No  |   |                                    |                        |                 |      |
| Direct heat output(kW)                                     |   |               |                              | 7.2                                       |   |                                    |                        |                 |      |
| Indirect heat output(kW)                                   |   |               |                              | N.A                                       |   |                                    |                        |                 |      |
|  |   |               |                              |   | Emissions from space heating at nominal heat output |                                    |                        |                 |      |
|  |   |               | Preferred<br>fuel Model      |   | PM  | OGC                                | СО                     | NO <sub>x</sub> |      |
| Fuel   |   |               |                              |   | identifier(s)                                       | [X] mg/Nr                          | n <sub>3</sub> (13 % ( |                 |      |
| Wood logs with moisture content ← 25%                      |   |               |                              | Yes                                       | No  | 29                                 | 55                     | 1242            | 94   |
| Compressed wood with moisture content < 12%                |   |               |                              | No  | No  |                                    |                        |                 |      |
| Other woody biomass  |   |               |                              | No  | No  |                                    |                        |                 |      |
| Anthracite and dry steam coal                              |   |               |                              | No  | No  |                                    |                        |                 |      |
| Hard coke  |   |               |                              | No  | No  |                                    |                        |                 |      |
| Low temperature coke                                       |   |               |                              | No  | No  |                                    |                        |                 |      |
| Bituminous coal  |   |               |                              | No  | No  |                                    |                        |                 |      |
| Lignite briquettes   |   |               |                              | No  | No  |                                    |                        |                 |      |
| Peat briquettes  |   |               |                              | No  | No  |                                    |                        |                 |      |
| Blended fossil fuel briquettes                             |   |               |                              | No  | No  |                                    |                        |                 |      |
| Other fossil fuel  |   |               |                              | No  | No  |                                    |                        |                 |      |
| Blended biomass and fossil fuel briquettes                 |   |               |                              | No  | No  |                                    |                        |                 |      |
| Other blend of biomass and solid fuel                      |   |               |                              | No  | No  |                                    |                        |                 |      |
| Characteristics when operating with the preferred fuel     |   |               |                              |   |   |                                    |                        |                 |      |
| Seasonal space heating energy efficiency $\eta_s$ [%] 71   |   |               |                              |   |   |                                    |                        |                 |      |
| Energy Efficiency Class                                    |   |               |                              | A+  |   |                                    |                        |                 |      |
| Energy Efficiency Index (EEI)                              |   |               |                              | 108                                       |   |                                    |                        |                 |      |
| ltem   | Symbol  | Value         | Unit                         | Item                                      |   | Symbol                             | nbol Value             |                 | Unit |
| Heat output  |   |               |                              | Use efficiency (NCV as re                 |   | ceived)                            |                        |                 |      |
| Nominal heat output  | P <sub>nom</sub>  | 7.2           | kW                           | Useful efficiency at nominal heat output  |   | $\eta_{\text{th, nom}}$            | 81                     |                 | %    |
| Minimum heat output (indicative)                           | P <sub>min</sub>  | N.A.          | kW                           | Useful effic<br>minimum he<br>output (ind | eat <sup>′</sup>                                    | $\eta_{\scriptscriptstyle th,min}$ | N.A.                   |                 | %    |
| Auxiliary electricity cons                                 | Type of heat output/room temperature control (select one) |               |                              |   |   |                                    |                        |                 |      |
| At nominal heat output                                     | el <sub>max</sub>   | x,xxx         | kW                           | single stage<br>temperatur                | no room [yes/no]                                    |                                    | /no]                   |                 |      |
| At minimum heat output                                     | el <sub>min</sub>   | x,xxx         | kW                           | two or more                               | e manual stage<br>erature contro                    | s, no [yes/n                       |                        | /no]            | Yes  |
| In standby mode  | el <sub>sв</sub>  | x,xxx         | kW                           | with mecha<br>temperatur                  | inic thermosta <sup>.</sup><br>e control            | t room [yes                        |                        | /no]            |      |
|  |   |               |                              | with electro                              | perature  | [yes/no]                           |                        |                 |      |
|  |   |               |                              | with electro<br>control plus              | oerature  | [yes/no]                           |                        |                 |      |
|  |   |               |                              | with electro<br>control plus              | oerature  | [yes/no]                           |                        |                 |      |
|  |   |               |                              | Other cont                                | ultiple sele  | ctions po                          | ssible)                |                 |      |
|  |   |               |                              | room temp<br>presence d                   | l, with   | [yes/                              | /no]                   |                 |      |
|  |   |               |                              | room temp<br>open windo                   | erature contro<br>w detection                       | l, with                            | th [yes/no]            |                 |      |
| Permanent pilot flame power requirement                    |   |               | with distance control option |   |   | [yes/                              | /no]                   |                 |      |
| Pilot flame power  | ower requir<br>P <sub>pilot</sub>                         | ement<br>N.A. | kW                           |   |   |                                    | 7                      |                 |      |
| requirement (if applicable)                                |   | address of th |                              |   | B   | in the                             | ,                      |                 |      |
| Contact details Brian Ørum, R&D Manager, Scan A/S, Denmark |   |               |                              |   |   |                                    |                        |                 |      |